



SUBARU **XV** |



SPECIFICATIONS

Item	Symmetrical AWD (All-Wheel Drive)							
	1.6i-N	1.6i-S	1.6i-S EyeSight	2.0i	2.0i-S	2.0i-S EyeSight	2.0i-S EyeSight	
	1.6L Multi-Port Injection			2.0L Direct Injection			2.0L Direct Injection + Motor (e-BOXER)	
	Lineartronic							
Engine								
Type	Horizontally opposed, 4-cylinder, 4-stroke, petrol engine							
	DOHC 16-valve							
Bore/Stroke	mm	78.8 x 82.0			84.0 x 90.0			
Capacity	cc	1600			1995			
Compression ratio		11.0			12.5			
Fuel system		Multi-Port fuel Injection			Direct fuel Injection			
Fuel tank capacity	lit.	63					48	
Performance								
Max. output (DIN)	kW (PS) /rpm	84 (114) / 6,200			115 (156) / 6,000		110 (150) / 6,000	
Max. torque (DIN)	Nm (kgfm) /rpm	150 (15.3) / 3,600			196 (20.0) / 4,000		196 (20.0) / 4,000	
Max. speed	km/h	175			194		193	
Acceleration (0-100 km/h)	sec.	13.9			10.4		10.7	
Fuel consumption*1	Urban	lit./100 km	9.4			9.7		7.5
	Extra-urban	lit./100 km	5.9					5.9
	Combined	lit./100 km	7.3					6.5
CO ₂ emissions*1	Urban	g/km	217			224		170
	Extra-urban	g/km	136					134
	Combined	g/km	165			168		147
Motor								
Type		-					Permanent magnet AC synchronous motor	
Max. output	kW (PS)	-					12.3 (16.7)	
Max. torque	Nm (kgfm)	-					66 (6.7)	
Traction Battery								
Type		-					Lithium Ion battery	
Max. output of Motor	kW	-					13.5	
Voltage	V	-					118.4	
Rated Capacity	Ah	-					4.8	
Drivetrain								
All-Wheel Drive type		Active Torque Split AWD system						

*1 Fuel consumption and CO₂ emissions: according to UN R101-01.

*2 2.0i-S EyeSight (e-BOXER) with roof rails and 1.6i-N without roof rails have a height of 1595 mm. All other models with roof rails have a height of 1615 mm.

*3 Measured by VDA (V214).

*4 With Sunroof.

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

Item	Symmetrical AWD (All-Wheel Drive)							
	1.6i-N	1.6i-S	1.6i-S EyeSight	2.0i	2.0i-S	2.0i-S EyeSight	2.0i-S EyeSight	
	1.6L Multi-Port Injection			2.0L Direct Injection			2.0L Direct Injection + Motor (e-BOXER)	
	Lineartronic							
Dimensions & weight								
Overall length	mm	4485						
Overall width	mm	1800						
Overall height*2	mm	1595	1615				1595	
Wheelbase	mm	2665						
Track	Front	1550						
	Rear	1555						
Minimum road clearance (at kerb weight)	mm	220						
Cargo volume*3	lit.	1240 / 1220*4					1173*4	
Seating capacity	persons	5						
Kerb weight	kg	1416	1455	1457	1427	1470	1473	1574
Towing capacity	kg	1400					1270	
Transmission								
Gear ratio	D range	3.601 - 0.513						
	1st	-	3.601 (Manual mode)				3.553 (Manual mode)	
	2nd	-	2.155 (Manual mode)				1.892 (Manual mode)	
	3rd	-	1.516 (Manual mode)				1.474 (Manual mode)	
	4th	-	1.092 (Manual mode)				1.228 (Manual mode)	
	5th	-	0.843 (Manual mode)				1.024 (Manual mode)	
	6th	-	0.667 (Manual mode)				0.852 (Manual mode)	
	7th	-	0.557 (Manual mode)				0.682 (Manual mode)	
	Reverse	3.689						
Final drive axle ratio		4.111			3.900		3.700	
Chassis								
Steering	Rack and pinion, electric power steering system							
Suspension (4-wheel independent)	Front	MacPherson strut type						
	Rear	Double wishbone type						
Minimum turning circle at tyre (radius)	m	5.4						
Brakes	Front	Ventilated disc brakes						
	Rear	Ventilated disc brakes						
Tyre/wheel size		225/60R17, 17 x 7"J				225/55R18, 18 x 7"J		

STANDARD AND OPTIONAL FEATURES

Item	1.6i-N	1.6i-S	1.6i-S Eyesight	2.0i	2.0i-S	2.0i-S Eyesight	2.0i-S Eyesight (e-BOXER)
	1.6i Multi-Port Injection			2.0i Direct Injection			
Exterior							
Auto On/Off Headlamps	-	●	●	-	●	●	●
LED Headlamps with Auto-leveliser	-	-	-	-	●	●	●
Steering Responsive Headlights (SRH)	-	-	●	-	●	●	●
Pop-up Type Headlamp Washers	-	-	●	-	●	●	●
Front Fog Lamps	●	●	-	●	-	-	-
LED Front Fog Lamps	-	●	●	-	●	●	●
Rear Fog Lamp	●	●	●	●	●	●	●
Power-folding Door Mirrors	-	●	●	●	●	●	●
Key-linked Folding Door Mirrors	-	-	-	-	●	●	●
UV Protection Glass: Front and Rear Side Windows, Rear Quarters and Rear Window	-	-	-	●	●	●	●
UV Protection Glass: Front Side Windows	●	●	●	-	-	-	-
Privacy Glass for Rear Doors, Rear Quarters, and Rear Window	●	●	●	-	-	-	-
Automatic Rain-sensing Windshield Wipers	-	●	●	-	●	●	●
17-inch Aluminium-alloy Wheels (dark metallic)	●	●	●	●	-	-	-
18-inch Aluminium-alloy Wheels (dark metallic)	-	-	-	-	●	●	●
Side Claddings	●	●	●	●	●	●	●
Power-sliding, Tilt-adjustable Glass Sunroof	-	●	●	-	●	●	●
Carrier Installation Brackets	●	-	-	-	-	-	-
Roof Rails	-	●	●	●	●	●	-
Low-profile Roof Rails	-	-	-	-	-	-	●
Roof Spoiler	●	●	●	●	●	●	●
Standard on all models: ● LED Rear Combination Lamps ● Variable Intermittent Windshield Wipers ● Intermittent Rear Window Wiper ● Shark Fin Antenna							
Seating / Trims							
Leather-wrapped Steering Wheel with Orange Stitching	●	●	●	●	●	●	●
Leather-wrapped Steering Wheel with Blue Stitching	-	-	-	-	-	-	OP
Leather-wrapped Gearshift Knob	●	●	●	●	●	●	●
Standard Fabric Seats with Orange Stitching	●	-	-	●	-	-	-
Premium Fabric Seats with Orange Stitching	-	●	-	-	-	-	-
Leather Seats with Orange Stitching	-	-	●	-	●	●	●
Leather Seats with Blue Stitching	-	-	-	-	-	-	OP
6-way Manually-adjustable Driver's Seat	●	●	-	●	-	-	-
8-way Power-adjustable Driver's Seat	-	-	●	-	●	●	●
Driver's Position Memory Seat-linked Door Mirrors with Reverse Auto-tilt	-	-	●	-	●	●	●
60/40-split Folding Rear Seatbacks	●	●	●	●	●	●	●
5-Stage Adjustment Headrest	●	●	●	●	●	●	●
Seatback Pocket (front passenger seat)	●	●	●	●	●	●	●

*1 185/65R17 tyre.
*2 Driver's and passenger's front side window has auto up/down function with pinch protection.
*3 Equipped with WVGA centre display.
*4 Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries.
*5 Android and Android Auto are trademarks of Google Inc.

Item	1.6i-N	1.6i-S	1.6i-S Eyesight	2.0i	2.0i-S	2.0i-S Eyesight	2.0i-S Eyesight (e-BOXER)
	1.6i Multi-Port Injection			2.0i Direct Injection			
Comfort / Convenience							
Keyless Access with Push-button Start System	-	●	●	●	●	●	●
PIN Code Access	-	●	●	●	●	●	●
Map Lights	●	●	-	●	●	-	-
Map Lights with Overhead Shower Light	-	-	●	-	-	●	●
Vanity Mirror with Cover (driver and front passenger)	●	-	-	●	-	-	-
Vanity Mirror with Cover and Lights (driver and front passenger)	-	●	●	-	●	●	●
Rear Seat Centre Armrest with 2 Cup Holders	-	●	●	●	●	●	●
Temporary Spare Tyre*1	●	●	●	●	●	●	-
Tyre Repair Kit	-	-	-	-	-	-	●
Standard on all models: ● Power Windows*2 ● Remote Control Key System ● Welcome Lighting ● One-touch Lane Change Signal ● Cargo Light ● Centre Console Box ● 2 Front Cup Holders (in centre console) ● Door Pockets with Bottle Holders (on all side doors) ● Two 12-volt Power Outlets (in centre panel and centre console box) ● Cargo Hooks ● Retractable Cargo Cover							
Climate Control							
Automatic Air-conditioning System	●	-	-	●	-	-	-
Dual-zone Automatic Air-conditioning System	-	●	●	-	●	●	-
Voice-controlled Air-conditioning	-	●	●	-	●	●	●
Electric Rear Windshield Defogger with Timer	●	●	●	●	●	●	●
Entertainment							
6.5-inch Display*3 Audio System with 4 Speakers	●	-	-	-	-	-	-
6.5-inch Display*3 Audio System with 6 Speakers	-	-	-	●	-	-	-
8-inch Display*3 Audio System with 6 Speakers	-	●	●	-	●	●	●
8-inch Display*3 Audio System with Navigation and 6 Speakers	-	-	OP	-	-	-	-
Apple CarPlay*4 / Android Auto*5 Infotainment System*6	●	●	●	●	●	●	●
Voice Recognition System	●	●	●	●	●	●	●
Steering Wheel-mounted Audio Remote Control Switches	●	●	●	●	●	●	●
Bluetooth®*7 Audio Streaming and Hands-free Phone Connectivity	●	●	●	●	●	●	●
USB Port and Auxiliary Audio Input Jack (in centre panel)	●	-	-	●	-	-	-
Dual USB Ports and Auxiliary Audio Input Jack (in centre panel)	-	●	●	-	●	●	●
Dual USB Ports (inside centre console box)	-	●	●	●	●	●	●
Front View Monitor	-	-	OP	-	OP	●	●
Rear View Camera	-	●	●	-	●	●	●

*6 Apple CarPlay and/or Android Auto may not be available for all models and regions.
*7 Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.
*8 Available with 2-mode SI-DRIVE (Intelligent Mode, Sport Mode).
*9 SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.

Item	1.6i-N	1.6i-S	1.6i-S Eyesight	2.0i	2.0i-S	2.0i-S Eyesight	2.0i-S Eyesight (e-BOXER)
	1.6i Multi-Port Injection			2.0i Direct Injection			
Control / Instruments							
Dual-gauge Layout with Monochrome LCD Display	●	-	-	●	-	-	-
Dual-gauge Layout with 4.2-inch Full-colour LCD Display	-	●	●	-	●	●	●
6.3-inch Multifunction Display	-	●	●	-	●	●	●
Tilt-adjustable / Telescopic Steering Wheel	●	●	●	●	●	●	●
Paddle Shifters	-	●	●	●	●	●	●
Cruise Control	-	●	●	●	●	●	●
Adaptive Cruise Control	-	-	●	-	-	●	●
Aluminium Pedals	-	-	●	-	●	●	●
Drivability							
X-MODE	●	●	●	●	-	-	-
2X-MODE	-	-	-	-	●	●	●
Hill Descent Control	●	●	●	●	●	●	●
SI-DRIVE (SUBARU Intelligent Drive)*8	-	-	-	●	●	●	●
Auto Vehicle Hold	●	●	●	●	●	●	●
Active Torque Vectoring	●	●	●	●	●	●	●
Auto Start Stop	-	-	-	-	-	-	●
Vehicle Dynamics Control System	●	●	●	●	●	●	●
Electronic Parking Brake	●	●	●	●	●	●	●
Safety							
Front SRS*9 Airbags	●	●	●	●	●	●	●
Front Side SRS*9 Airbags (driver and front passenger)	●	●	●	●	●	●	●
Curtain SRS*9 Airbags (front and rear, both sides)	●	●	●	●	●	●	●
Knee SRS*9 Airbag (driver)	●	●	●	●	●	●	●
Subaru Rear Vehicle Detection (SRVD)	-	-	OP	-	OP	●	●
High Beam Assist (HBA)	-	-	OP	-	OP	●	●
Reverse Automatic Braking (RAB)	-	-	OP	-	-	●	●
Rear Seat Reminder	-	●	●	-	●	●	●
Standard on all models: ● Whiplash-reducing Front Seats ● Seatbelt Indicator ● Height-adjustable Seatbelt Anchors (driver and front passenger) ● Locking-tongue Front Seatbelts with Pretensioners and Load Limiters ● Rear 3-point Seatbelts for 3 Seating Positions ● 4-wheel Antilock Braking System (ABS) ● Brake Assist System ● Brake Override ● ISO-FIX Adapted Child Seat Anchors (with tether anchors) ● Child-proof Rear Door Locks (both sides) ● Engine Immobiliser							

●: Standard OP: Option

Standard and optional features, model lineup may vary according to market. Please contact your local authorised Subaru retailer for more details.



SUBARU CORPORATION

Printed in Japan (21SS GXE9 2020.09)